


3/2/60

Contents
of the
Höfchen-Briefe



1958

1958

- Becker, A.: "On the question of storing treated and wet grain seed." Page 90—102.
- Engel, H.: "Advantages and disadvantages of oleo-phosphoric ester products." Page 124—128.
- Frohberger, P. E.: "Studies on the question of the influence of seed treatment and water content of grain on latter's storage property." Page 103—114.
- Goossen, Heinz: "Importance of rain-resistant property of fungicides to the control of *Phytophthora infestans* de Bary." Page 70—80.
- Goossen, Heinz: "Studies on the efficiency of spraying and atomising in fruit farming in relation to distribution of wash, deposition of active ingredient and rain-resistance of deposits applied by spraying and atomising." Page 132—153.
- Klimmer, O. R., and Pfaff, W.: "Toxicological studies on the practical application of the systemic insecticide 0,0-dimethyl-(ethyl-thioethyl)-thiophosphate." Page 159—171.
- Kolbe, W.: "Studies on the control of mangold fly." Page 37—70.
- Kosswig, W.: "Studies on the overwintering of powdery mildew *Podosphaera leucotricha* (Ell. et Ev.) Salm." Page 14—24.
- Nielsen, O.: "Practical method for controlling cabbage maggots with E 605." Page 154—158.
- Roesler, R.: "Experience with Folidol Oil Spray against brown scale (*Eulecanium corni* Bche.) on grape vines." Page 121—123.
- Rump, L., and Niemöller, A.: "Forecasting the occurrence of spinach leaf miners in 1958, based on studies conducted from October 17 to 26, 1957." Page 1—14.
- Sebbel, H.: "The importance of winter sprays and the application of Folidol Oil." Page 129—131.
- Ting-wei Lew, Gideon: "Pineapple mealybug control in Taiwan." Page 114—120.
- Unterstenhöfer, Günter: "Gusathion, a new polyvalent insecticide and acaricide." Page 81—90.
- Yüksel, Mehmet: "Biology, ecology and control of Senn Pest. *Eurygaster integriceps*, in Turkey (1955/56)." Page 25—36.



Digitized by the Internet Archive
in 2025

Index of authors

1958

A

Aebi, 77, 78
Aerts, 14, 18, 22, 23, 24
Ammon, 166, 169

B

Bachmann, 125, 128
Bär, 170
Barnes, 170
Batchelor, 171
Bauckmann, 132, 152
Beaumont, 70, 78
Becker, 90—102
Bender, 126
Berbec, 39, 67
Bieri, 153
Blomeyer, 37, 67
Blunck, 37, 38, 41 67, 77, 78
Bochow, 70, 78
Boeker, 37, 67
Bollow, 39, 67
Bombinski, 171
Bourke, 70, 78
Braun, B., 21
Braun, H., 14, 24
Brazzel, 90
Bremer, 37, 38, 41, 57, 62,
67, 68, 70
Brown, 170
Büch, 170

C

Cameron, 37
Carter, 114, 120
Curtis, 37, 68

D

Dame, 77, 78
Darling, 71, 80
Deichmann, 170
Denz, 170
Deroin, 171

Dosse, 68
Dowing, 170
Du Bois, 82, 83, 90, 171
Dunning, 38, 39, 46, 59, 62

E

Eickstedt, von, 132, 152
Engel, 124—128
Ernould, 38, 68
Eue, 71, 75, 78, 79, 133,
153

F

Fabre, 171
Fischer, K., 171
Fischer, R., 21, 24
Florange, 170
Friedrich, 132, 152
Fritzsche, 153
Frohberger, 103
Fukuto, 84, 90

G

Gäumann, 18, 24
Gersdorf, 39, 68
Gooßen, 70, 71, 75, 77, 78,
79, 132—154
Griesinger, 70, 79
Gross, 171

H

Hänni, 70, 79
Haronska, 132, 153
Harrison, 70, 79
Hazleton, 171
Heath, 171
Heddergott, 39, 68
Henglein, 171
Hering, 39, 68
Hervert, 24
Hinckers, 63, 64, 68
Hinke, 92, 102

Holbrook, 69
Holz, 124, 128
Hopf, 92, 102
Howland, 39, 70
Hyre, 70, 79

I

Ivy, 86, 90

J

Jaeger, 76, 79
Jancke, 121, 122
Johannes, 70, 77, 79
Jones, 38, 46, 59, 62, 68

K

Kaiser, 171
Kamel, 90
Kaufmann, 37, 38, 41, 57,
67, 68, 70
Kemner, 38
Kenten, 69
Kersting, 39, 62, 68
Kirchner, 93, 102
Klapp, 63, 68
Klimmer, 159—171
Klinkowski, 38, 69
Klotzsche, 169
Koch, 163
Kolbe, 37—70
Koltermann, 39, 41, 53,
62, 63, 64, 68
Korhammer, 70
Koßwig, 14—24
Kundert, 153

L

Lew, 114
Liebster, 128
Linden, 124, 128
Lord, 69
Lüdecke, 39, 46, 68

M

March, 171
Maresch, 171
Martin, 85, 90
Mauch, 132, 153
Maxon, 171
Metcalf, 84, 90, 171
Missionnier, 39, 40, 59, 69
Mistic, 85, 90
Mühlmann, 171
Müller, K. O., 70, 79
Murphy, 82, 90, 171

N

Naeve, 171
Neuhaus, 71, 79, 133, 153
Nielsen, 154—158
Niemöller, 1—14, 41, 69
Nolte, 38, 69

O

Okinaka, 171
Orth, 71, 79

P

Pfaff, 159—171
Potter, 59, 69

R

Rademacher, 38, 67, 68
Rainwater, 85, 86, 90
Rakoczy, 170
Rambousek, 37
Reinmuth, 92, 102
Riedel, 64, 69

Riehm, 21, 24
Rönnebeck, 70
Roesler, 121—123
Rogers, 154
Rogoll, 39, 41, 42, 69
Rostrup, 38
Ruffin, 85, 90
Rump, 1—14, 41, 69

S

Salkeld, 69
Sandt, van de, 102
Scales, 90
Scharmer, 132, 153
Schlösser, 39, 45, 69
Schmid, 132, 153
Schneider, 124, 128
Schrader, 39, 69, 159, 161,
171
Schulemann, 159
Schumacher, 77, 79
Sebbel, 129—131
Singer, 132, 153
Soenen, 14, 18, 22, 23, 24
Specht, 171
Staehelin, 77, 78
Stälfelt, 21, 24
Staudenmayer, 59, 69
Steudel, 61, 69
Sweresomb-Sukowski,
39, 70

T

Thiede, 77, 79
Thiem, 132, 153
Thran, 71, 79

Thorsh, 82, 90, 171
Ticheler, 39, 70
Tietz, 84, 90, 171
Ting-wei Lew, 114—120
Trivelli, 77, 78

U

Uhlig, 71, 79, 80
Ullrich, 71, 80
Unterstenhöfer, 39, 61,
70, 81—90

V

Vandekar, 164, 171
Veltheim, 37, 70
Vermes, 90
Vogel, 125, 128

W

Wade, 71, 80
Waggouer, 71, 80
Walker, 171
Wallin, 71, 80
Wassiljew, 38, 70
Wehn, 70
Werner, 37
White, 38, 70
Wilcox, 39, 70
Wildbolz, 128
Winner, 39, 46, 62, 68, 70
Wirth, 171
Wöllmer, 146, 153

Y

Yeomans, 154
Yüksel, 25—36

Index

A

Acantholimon 28
 Acaricide 81—90
 "Ackersegen" potato variety 73
Acontia dacia 86, 87
 Active ingredients 76
 Active ingredient, transported 75, 76
Aedes aegypti 85, 87
Aelia sp. 25
 Agro-Kemi, Copenhagen 48
Agrotis segetum 84, 85, 88
 Aircraft control 34, 36, 42, 46, 47, 48, 49, 50, 65, 76, 77
Alabama argillacea 86, 87
 Aldrin, 38, 39, 59, 91
 Alfalfa 88
 Analyses, paper chromatographic 84
Anastrepha ludens 87
 Anatolia 25—34
Ancylics comptana fragariae 87
Anomus teana 87
Anopheles quadrimaculatus 87
 Ants 115
Anthonomus grandis 81, 86, 87
Anthonomus pomorum 87
Aonidiella aurantii 88
Aonidiella citrina 87, 88
 Aphids 1, 39, 43, 53, 55, 62, 66, 84, 86, 89, 124, 125, 126, 129, 130, 142, 144
 Aphicidal effect 62
Aphis fabae 39, 87
Aphis gossypii 86, 87
Aphis pomi 87
Aphrophora sp. 87
 Apple blossom weevils 124, 126, 142, 144
 Aqua-Part 98
Archips argyrospila 87
Argyroplote variegana 87
Argyrotaenia velutinana 87
Aspidiotus britannicus 87, 88
Aspidiotus hederæ 87, 88
Astragalus 28
 Atomiser head 142
 Atomising method 72, 73, 132—154, 160
 Atropine 83
 Axillary bud 21, 22, 23

B

Bait 37
 Barium chloride 38
 Barley 92, 93, 95, 96
 Beans 88
 Bean aphid, black 39, 85
 Bees 124
 Beet residues 8
 Beet wash 5, 6
Bemisia tabaci 87
 Biology, of the pest 28—32
 Blood tests 166
 Blower output 146
 Blue copper 127
 Boll weevil 85, 86
 Bollworm 86
 Boom, sprayer 132
Brachytydeus caudatus 88
 Braconidae 4
 Bracts 21
 Brassicas 88
 Breathing poison 83
 Brown cotton leafworm 86
 Brown scale 121—123, 127
 Browntail moth 85, 124
 Brush-coated leaf surfaces 61
 Bud breaking 125
 Bud burst sprays 126
 Bud infection 14
 Bud moth 126, 129
 Bud scales 15
 Bud swelling 16
Bucculatrix gossypii 87

C

Cabbage maggot 154 ff.
 Cabbage worm 85
Calandra granaria 85, 87
 Capsid bugs 129
 Captain 133—154
Capua reticulana 87
 Carnation leaf miner 39
Carpocapsa pomonella 84, 87
 Cauliflower 154
Cemiosoma scitella 87
 Ceresan Dry Seed Dressing 94, 96, 103—114
 Ceresan-Gamma 95

Ceresan-Morkit 95, 96
 Ceresan-Morkit new 96
Ceutorrhynchus assimilis 87
Cheimatobia brumata 85, 87
 Chemical control 32, 33, 38
 Cherry fruit moth 127
 Chlordane 38, 39
 Chlorinated hydrocarbons 81
 Chlorthion 33, 34, 35, 36, 38, 45, 53, 55
 Cholinesterase activity 59
Chrysomphalus dictyospermi 87, 88
Cirphis unipuncta 87
 Citrus 81, 82, 88, 89
 Clarifying equipment 5
Coccus hesperidum 88
Coccus pseudomagnoliarum 87, 88
 Codling moth 81, 84, 89, 142, 144
 Coleophiles 92
 Colorimetric determination 71
 Combined harvester 91
 Combined spraying 53
 Common lackey moth 85, 129
 Conidial infection 21
 Conidial production 22
Conopia exitiosa 87
Conotrachelus nenuphar 87
 Contact poison 83, 115
 Contact poison effect 84
 Copper reserve 75
 Copper oxychloride 72, 133 ff.
 Cotton 86, 88, 89
 Cotton fleahopper 86
 Cotton insects 85, 86
 Cotton leaf perforator 86
 Cotton leafworm 86
 Cox-Orange-Renette 133 ff.
 Crop protection equipment 132
 Crop protection report service 40
 Crows, attacks by 91
Culex quinquefasciatus 87
 Culture vessels 8
 Currants 127

D

Damage by yellows 67
 Dandelion 124
 DDT 32, 33, 34, 35, 36, 38, 39, 62, 133 ff.
 DDT oil emulsion 38
 Defensive reaction 18, 20
 Demeton 39

Deposition of active ingredient 132—154
 Determination of active ingredient 71, 133 ff.
 Development of resistance 81
 Diamondback moth 85
Diaspis pentagona 87, 88
 Diazinon 32, 33, 34, 35, 36, 38, 39, 42, 44, 45, 52, 55, 60, 62, 63, 66
 Dicontal 35
 Dieldrin 38, 39, 59, 91
 Dinitrobutyl phenol 121 ff.
 Dinitrocresol 121 ff.
 Diptera 29
 Dipterex 12, 36, 38, 39, 43, 44, 45, 47, 48, 49, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 63, 66
 Distribution of active ingredient 132 ff.
 Distribution of droplets 138 ff.
 Distribution of wash 132—154
 Disyston 61, 62, 81
 Dithiophosphoric acid 86
Dizygomyza flavifrons 39
 DNBP 121 ff.
 DNC 121 ff.
Doralis fabae 85
 Drift 77, 126, 146, 147
 Dripping 77
 Droplet size 147, 160, 163
 Dry dressings 90—114
Dysdercus ruficollis 87
Dysdercus suturellus 87
Dysmicoccus brevipes 114

E

E 605 38, 43, 44, 47, 52, 53, 59, 60, 66, 81, 84, 128, 154
Earias insulana 87
 Ectotherapeutic compounds 85
 Embryonic development 30, 59, 81
Empoasca sp. 87
 Embryos 59, 66
 Endoparasites 29
 Endrin 38, 39, 43, 44, 45, 47, 52, 54, 55, 56, 57, 58, 60, 62, 66
 Enemies, natural 4
Epilachna varivestis 87
Eriocampoides limacina 87
 Ermine moth 125, 126, 142, 144
 Erythrocytes 168 ff.

Ester preparations 38
Estigmene acrea 86, 87
 Ethyl-Gusathion 86
Eulecanium corni 121—123
 Euphrat 28
Euproctis chrysorrhoea 85, 87
Eurygaster austriaca 25
Eurygaster integriceps 25—34
Evergestis rimosalis 87

F

Fodder beet 1—14, 37—70
 Fodder beet farming 1
 Folidol-E 605 114, 155
 Folidol Oil Spray 121—131
 Frankenthal 10, 11
Frankliniella sp. 87
 Ferrara 89
 Fly glue 37
 Fly parasites 29
 Formation of conidia 23
 "Fricke" horse-drawn sprayer 45
 Fruit pests 81
 Fruit plantation 81, 82, 89, 121—131,
 132—154
 Fruit tree hydrocarbon oil 122
 Fungicidal action 72
 Fungicides 70—80
Fusarium 93
Fusicladium 136, 143

G

Garden webworm 86
 Gas phase 84
 Geans 13
 Germination capacity 94, 96, 104, 113
 Germination capacity and growth
 vigour 91, 95, 97, 98, 102
 Germination depression 113
 Germination, rate of 104, 113
 Gramineous plants 25, 30
 Granary weevil 85
 Grape berry 81
 Green copper 127
 Ground sprayers 43, 47, 48, 49, 65
 Growth rate 42
 Growth vigour 95, 96, 97, 98, 102
Gryllus domesticus 87
 Gusathion 35, 81—90, 122 ff.
 Gypsy moth 85

H

Haemoglobin content 168
 Hand-operated dressing drum 95
 Hand-operated sprayer 32
 HCH 38, 39, 59
 HCH oil emulsion 38
 Heavy oil 122
 Helicopter 44, 49, 51, 77
Heliothis armigera 86, 88
Heliothrips haemorrhoidalis 87
Hellula undalis 87, 88
Hemerocampa vetusta 87
 Heptachlor 38
 Hiltner method 95, 98
 "Holder" horse-drawn sprayer 45
 "Holder" knapsack sprayer 161
 Hops 88
 House flies 83, 85
 Hydrocarbon 121—131
 Hydrocarbon, chlorinated 38, 39
 Hygrostats 84
Hyponomeuta malinella 87

I

Icerya purchasi 87
 Ichneumon flies 4
 Images 25, 28, 33
 Imported cabbageworm 85
 Infection 20, 22, 71, 77
 Infection, conditions of 23
 Inhalation 164
 Inhibition of the cholinesterase 59,
 165 ff.
 59, 62, 66
 Initial action 38, 42, 43, 48, 51, 52, 55,
 Injection 164
 Injury (Spinach leaf miner) 2
 Injuries to bud 130
 Insect damage, caused by mining 42,
 61, 66
 Insecticide 32, 36, 38, 65, 81—90, 91,
 115, 124
 Insecticide, systemic 61, 81, 115,
 159—170
 Isomeres 159

K

Knapsack atomizers 170

L

Lance 132
Laphygma exigua 87
Laphygma frugiperda 87
Larvicidal effect 43, 59, 84
Lead arsenate 135, 136
Leaf scorching 38
Leaf surfaces, treatment of 61
Leaf surfaces, brush-coated 61
Leaf count 122, 123
Leaf damage 39, 42
Leaf miner 39
Leaf mining 60
Lecanium corni 87, 88
Lecanium nigrofasciatum 87
Lepidoptera larvae 86
Leptinotarsa decemlineata 84, 85, 87
Leukocytes 168
Lindane 91, 124, 133 ff.
Liquid manure 90
Liriomyza langei 39
Locusta migratorius migratorioides 87
Losses of active ingredient 77, 140
Loxostege similalis 87
Lymantria dispar 84, 85, 87

M

Macrosiphum solanifolii 87
Malacosoma neustria 85, 87
Malathion 34, 35, 125
Mamestra oleracea 85, 88
Mass reproduction 4
"Mauser" three-plunger high pressure sprayer 44, 60
Mechanical control 23
Mechanism of action 82
Mealybug, pineapple 114—120
Mealybug, wilt 115, 117
Meligethes aeneus 87
Mercury-aldrin 92
Mercury-dieldrin 92
Mercury dressings 90, 91
Mercury-lindane 91, 95, 97, 100
Metasystox 12, 33, 39, 43, 45, 53, 54, 55, 56, 57, 134—154, 159—170
Metasystox (i) 54, 55, 56, 66
Metatetranychus ulmi 87
Methods of application 51, 75, 132, 138, 160
Method of colorimetric determination 71, 76

Methylparathion 39
Micro injection method 84
Milk of lime 90
Mineral oil 125
Morkit 97, 99, 100
Mortality 28, 45
Mosquito larvae 85
Mould 93
Moult 3, 30
Mouse-ear stage 130 ff.
Musca domestica 83, 85, 87
Mycelium 20
Mycelium infection 21
Myzodes persicae 85
Myzus chelidonii 87
Myzus persicae 87

N

Natural enemies 4
Nectarines 90
Nicotine 37, 38
Nicotine sulphate 38

O

Oats 92, 95, 96
Oleo-phosphoric ester 121—131
OMPA 33, 159—170
Orchardists 129
Organophosphorus compounds 38, 59, 60, 66, 115
Outbreaks of yellows 1, 61
Overdosages of seed dressings, harm caused by 103 ff.
Overdosed seed treatment 92, 101, 103, 113, 114
Overwintering 14, 28
Overwintering places 25, 29
Ovicidal effect 39, 42, 43, 57, 59, 60, 61, 66, 84, 124
Oviposition 30, 37, 38, 42, 66
Ovularvicidal effect 124, 125
Oxygen, uptake of 59

P

Paper chromatographic analyses 84
Parenchyma 2
Parenchyma of the leaf 65
Paraffin emulsion 37
Parasites 4, 29
Parasitization 12, 41

Paratetranychus citri 87
 Parathion 32, 33, 39, 59, 62, 63, 115,
 124, 125, 133—154
 Pastures 30, 36
 Peach-potato aphid 85
 Pears 90
Pectinophora gossypiella 86, 87
Pegomya hyoscyami 1—14, 37—70
 Pentatomids 30, 32, 36
 PESTOX 159—170
 Pharmacological action 82
 Phenology 13
 Phosphoric ester 32, 81, 159—170
Phytophthora infestans 70—80
Pieris brassicae 60, 85, 87
 Pineapple mealybug 114
 Pink bollworm 86
 Plantation atomiser 142
 Plant compatibility 88, 89, 130
Platynota sp. 88
Plutella maculipennis 88
Podosphaera leucotricha 14—24
 Poison bait 38
Polychrosis botrana 88
 Polytoxicity 86
 Pome fruit plantation 124, 125 ff.
 Population density 29
 Post-winter spray 129
 Potato 70—80
 Potato beetle 84, 85
 Powdery mildew 14—24
 Pre-blossom spray 124 ff.
 Problem of residues 89
 Problem of resistance 86
Prodenia litura 88
Prodenia ornithogalli 88
 Protection of respiration 160
 Protective clothing (rubber gloves
 etc.) 118
Psallus seriatus 86, 88
Pseudococcus citri 88
Psylla pyricola 88
 Pupae, parasitization of 41

Q

Quinces 90

R

Rain-resistance 70—80, 132—154
 Range of action 85, 86, 89, 124, 131
 Rate of infestation 47, 54

Ratoon-cultivation 114
 Regions of resistance 89
 Relative humidity 70, 71
 Repellents 91
 Reserve of active ingredient 77
 Residual effect 38, 42, 43, 48, 49, 51,
 52, 53, 54, 55, 57, 66, 81, 84, 85, 86,
 89, 124
 Residues 89
 Resorption 83
 Respirators 161
 Reticulocytes 168
Rhagoletis pomonella 88
Rhopalosiphoninus latysiphon 88
Rhopalosiphum insertum 88
Rhyacionia buoliana 88
 "Rixe" horse-drawn sprayer 44, 45
 Roots of grape vines 29

S

Sacadodes pyralis 88
Saissetia oleae 88
 Sampled branches 125, 128
 Sandwich method 84
 San José scale 126, 127
Sappaphis plantaginea 88
 Sawfly 81
 Scab control 129, 142, 144
 Scab cracks 143
 Scab spots 143
 Scale insects 88, 89
 Schrader 159—170
 Secondary infection 21, 22
 Secretions 30
 Seed beets 44, 45, 49, 51
 Seed dressings 91 ff.
 Seed treatment 103—114
 Seed treatment centres 91, 101
 Selective action 115
 Senn pest 25—36
 Senn pest population 28
 Silk moth 59
Sitophilus oryza 88
 Skin burns 131
 Skin wetting 165
 Sludge beds 5
 Sodium arsenate 37
 Sodium fluoride 38
 Sodium fluosilicate 37
 Soft soap 37
 Soil insecticide 114

"Solo" knapsack atomiser 161
 "Solo-Rex" motor-powered atomiser 161
 Soltau 39
 Spider mite 81, 84, 86, 89, 129, 142, 144
 Spider mite, common 85
 Spinach leaf miner 1—14, 37—70, 84
 Spinach leaf miner, biology of 1, 2
 Sprayers 76
 Spray deposits 132—154
 Spray gun 132—154
 Spraying practice 72, 73, 74, 160
 Spraying teams 14
 Spray operators 131
 Spray pattern 132—154
 Sprays, in frosty conditions 126
 Spring rye 91
 Spring wheat 91
 Sticky trap method 37
 Sticky traps 37
 Stomach poison 83
 Stomach poison effect 84
 Storage treatment 91, 92, 95, 114
 Storing 90—102
 Studies, toxicological 159—170
 Sucker 125
 Sugar beet 1—14, 37—70
 Sugar factories 5, 6, 41
 Summer oil 59
 Suspension 77, 146, 147
 Sweetened poison bait 38
 Symptoms 83
Synanthedon pictipes 88
 Systemic effect 84
 Systemic insecticide 61, 81
 Systox 33, 53, 81, 159—170

T

Tarsonemus fragariae 88
Tarsonemus pallidus 88
 Tepp poisoning 60
 Terminal buds 14 ff.
Tetranychus althaeae 88
Tetranychus atlanticus 88
Tetranychus bimaculatus 88
Tetranychus telarius 85
Tetranychus tumidus 86, 88

Therioaphis ononidis 88
 Thiol-compound 159
 Thiono-compound 159
 Thrips 86
 Tillering 100
Tmetocera ocellana 88
 TMTD 137 ff.
 Tobacco 88
 Tolerances 89
Tortrix viridana 88
 Toxaphene 38, 39, 59
 Toxicity 82, 84, 85
 Toxicity values 164
 Toxic effect 59
 Toxicological studies 159—170
 Tractor-drawn atomiser 132—154
 Translaminar effect 81, 84, 124
 Treatment of leaf surfaces 61
Trichoplusia ni 88

U

Uptake of oxygen 59

V

Viruses 81
 Virus yellows 61
 Viticulture 81, 121—123

W

Warburg apparatus 59, 166
 Warnings 1, 39
 Weeds 6, 28
 Wettable sulphur 133 ff.
 Wheat 36, 95, 96, 103
 White grubs 91
 White oil 59
 Wide range of action 130
 Winter moth 125, 126, 129, 130, 142, 144
 Winter population 28
 Winter spray 121—131
 Wireworm 91

Y

Yellow oil 122 ff.
 Yellow sprays 124 ff.